Author Index

Allen, T., Henschel, E.V., Coons, T., Cross, L., Conley, J. and Ullman, B.
Purification and characterization of the adenine phosphoribosyltransferase and hypoxanthine-guanine phosphoribosyltransferase activities from *Leishmania donovani*, 273
Alvarez, R.M., Henry, R.W. and Weil, G.J.
Use of Iodogen and sulfosuccinimidobiotin to identify and isolate cuticular proteins of the filarial parasite *Brugia malayi*, 183
Anders, R.F., see Sheppard, M., 101
Andrews, N.W. and Whitlow, M.B.
Secretion by *Trypanosoma cruzi* of a hemolysin active at low pH, 249
Atkins, A., see Cooper, J.A., 203

Bach, D., see Rosenberg, I., 237
Beck, E., see Klinkert, M.-Q., 113
Blum, J.J., See Darling, T.N., 191
Bogitsh, B.J., see Scallon, B.J., 105
Bontempi, E., Martinez, J. and Cazzullo, J.J.
Subcellular localization of a cysteine proteinase from *Trypanosoma cruzi*, 43
Bordier, C., see Heumann, D., 67
Bouvier, J., see Heumann, D., 67
Bülow, R., see Carrington, M., 289
Burger, D., see Heumann, D., 67
Bzik, D.J., see Li, W.-B., 13

Campbell, T., Rubin, N. and Komuniecki, R.
Succinate-dependent energy generation in *Ascaris suum* mitochondria, 1
Carrington, M., Bülow, R., Reinke, H. and Overath, P.
Sequence and expression of the glycosyl-phosphatidylinositol-specific phospholipase C of *Trypanosoma brucei*, 289
Carter, C.E., see Scallon, B.J., 105
Cazzulo, J.J., Couso, R., Raimondi, A., Wernstedt, C. and Hellman, U.
Further characterization and partial amino acid sequence of a cysteine proteinase from *Trypanosoma cruzi*, 33
Cazzulo, J.J., see Bontempi, E., 43
Clayton, C.E. and Fox, J.A.
Phosphorylation of fructose biphosphate aldolase in *Trypanosoma brucei*, 73
Conley, J., see Allen, T., 273
Cook, G.A., see Son, H.J., 59
Coons, T., see Allen, T., 273
Cooper, J.A., Atkins, A. and Saul, A.J.
N-terminal amino acid sequencing of the 105 kilodalton rhoptry antigen of *Plasmodium falciparum* (*Short Communication*), 203
Couso, R., see Cazzulo, J.J., 33
Cross, L., see Allen, T., 273

Darling, T.N., Davis, D.G., London, R.E. and Blum, J.J.
Carbon dioxide abolishes the reverse Pasteur effect in *Leishmania major* promastigotes, 191
Davis, C.E., see Pamer, E.G., 27
Davis, D.G., see Darling, T.N., 191
De Colmenares, M., see Heumann, D., 67
Debrabant, A. and Delplace, P.
Leupeptin alters the proteolytic processing of P126, the major parasitophorous vacuole antigen of *Plasmodium falciparum*, 151
Degrave, Z., see Sturm, N.R., 205
Delplace, P., see Debrabant, A., 151
Dickin, S.K. and Gibson, W.C.
Hybridisation with a repetitive DNA probe reveals the presence of small chromosomes in *Trypanosoma vivax*, 135
Donelson, J.E., see Son, H.J., 59

Felleisen, R., see Klinkert, M.-Q., 113
Fetterer, R.H., see Gamble, H.R., 49
Fox, J.A., see Clayton, C.E., 73

Gamble, H.R., Purcell, J.P. and Fetterer, R.H.
Purification of a 44 kilodalton protease which mediates the ecdysis of infective *Haemonchus contortus* larvae, 49
Gibson, W.C., see Dickin, S.K., 135
Gitler, C., see Rosenberg, I., 237

Haidaris, C.G., see Harth, G., 143
Hall, T., see Son, H.J., 59
Hart, D.T., Lauwers, W.J., Willemsens, G., Vanden Bossche, H. and Opperdoes, F.R.
Perturbation of sterol biosynthesis by itraconazole and ketoconazole in *Leishmania mexicana mexicana* infected macrophages, 123
Harth, G., Haidaris, C.G. and So, M.
Purification and characterization of stage-specific glycoproteins from *Trypanosoma cruzi*, 143
Hellman, U., see Cazzulo, J.J., 33
Hemmings, L. and McManus, D.P.
The isolation, by differential antibody screening, of *Echinococcus multilocularis* antigen gene clones with potential for immunodiagnosis, 171
Henry, R.W., see Alvarez, R.M., 183
Henschel, E.V., see Allen, T., 273
Heumann, D., Burger, D., Vischer, T., De Colmenares, M., Bouvier, J. and Bordier, C.
Molecular interactions of *Leishmania* promastigote surface protease with human α2-macroglobulin, 67
Higashi, G., see Rothstein, N.M., 229
Hill, T., see Parsons, M., 215
Horii, T., see Li, W.-B., 13
Hudson, K.M., see Meade, J.C., 81

Inselburg, J., see Li, W.-B., 13

Kaslow, D.C., Syin, C., McCutchan, T.F. and Miller, L.H.
Comparison of the primary structure of the 25 kDa ookinete surface antigen of *Plasmodium falciparum* and *Plasmodium gallinaceum* reveal six conserved regions, 283
Kemp, D.J., see Sheppard, M., 101

Klinkert, M.-Q., Felleisen, R., Link, G., Ruppel, A. and Beck, E.
Primary structures of Sm31/32 diagnostic proteins of *Schistosoma mansoni* and their identification as proteases, 113
Komuniecki, R., see Campbell, T., 1

Lauwers, W.J., see Hart, D.R., 123
Lew, A.M., see Sheppard, M., 101
Li, W.-B., Bzik, D.J., Horii, T. and Inselburg, J.
Structure and expression of the *Plasmodium falciparum* SERA gene, 13
Lima, M.F. and Villalta, F.
Trypanosoma cruzi trypomastigote clones differentially express a parasite cell adhesion molecule, 159
Link, G., see Klinkert, M.-Q., 113
Loew, L.M., see Rosenberg, I., 237
London, R.E., see Darling, T.N., 191
Luanvararat, M., see Ruenwongsa, P., 265

Martinez, J., see Bontempi, E., 43
McCutchan, T.F., see Kaslow, D.C., 283
McManus, D.P., see Hemmings, L., 171
Meade, J.C., Hudson, K.M., Stringer, S.L. and Stringer, J.R.
A tandem pair of *Leishmania donovani* cation transporting ATPase genes encode isoforms that are differentially expressed, 81
Miller, L.H., see Kaslow, D.C., 283
Morel, C., see Sturm, N.R., 205

O'Sullivan, W.J., see Ruenwongsa, P., 265
Opperdoes, F.R., see Hart, D.T., 123
Otte, J. and Werries, E.
Specificity of a cysteine proteinase of *Entamoeba histolytica*, 257
Overath, P., see Carrington, M., 289

Pamer, E.G., So, M. and Davis, C.E.
Identification of a developmentally regulated cysteine protease of *Trypanosoma brucei*, 27
Parsons, M. and Hill, T.
Elevated phosphoglycerate kinase mRNA but not protein in monomorphic *Trypanosoma brucei*: implications for stage-regulation and post-transcriptional control, 215
Purcell, J.P., see Gamble, H.R., 49

Raimondi, A., see Cazzulo, J.J., 33
Rajan, T.V., see Rothstein, N.M., 229
Reinke, H., see Carrington, M., 289
Rollinson, D., see Walker, T.K., 93
Rosenberg, I., Bach, D., Loew, L.M. and Gitler, C.
Isolation, characterization, and partial purification of a transferable membrane channel (amoebapore) produced by *Entamoeba histolytica*, 237
Rothstein, N.M., Higashi, G., Yates, J. and Rajan, T.V.
Onchocerca volvulus heat shock protein 70 is a major immunogen in amicrofilaremic individuals from a filariasis-endemic area, 229
Rubin, N., see Campbell, T., 1
Ruenwongsa, P., Luanvararat, M. and O'Sullivan, W.J.
Serine hydroxymethyltransferase from pyrimethamine-sensitive and -resistant strains of *Plasmodium chabaudi*, 265
Ruppel, A., see Klinkert, M.-Q., 113

Saul, A.J., see Cooper, J.A., 203
Scallon, B.J., Bogitsh, B.J. and Carter, C.E.
Characterization of a large gene family in *Schistosoma japonicum* that encodes an immunogenic miracidial antigen, 105
Sheppard, M., Kemp, D.J., Anders, R.F. and Lew, A.M.
High level sequence homology between a *Plasmodium chabaudi* heat shock protein gene and its *Plasmodium falciparum* equivalent (*Short Communication*), 101
Simpson, A.J.G., see Walker, T.K., 93
Simpson, L., see Sturm, N.R., 205
So, M., see Harth, G., 143
So, M., see Pamer, E.G., 27
Son, H.J., Cook, G.A., Hall, T. and Donelson, J.E.
Expression site associated genes of *Trypanosoma brucei rhodesiense*, 59
Stringer, J.R., see Meade, J.C., 81
Stringer, S.L., see Meade, J.C., 81
Sturm, N.R., Degrave, W., Morel, C. and Simpson, L.
Sensitive detection and schizodeme classification of *Trypanosoma cruzi* cells by amplification of kinetoplast minicircle DNA sequences: use in diagnosis of Chagas' disease, 205
Syin, C., see Kaslow, D.C., 283

Ullman, B., see Allen, T., 273

Vanden Bossche, H., see Hart, D.T., 123
Villalta, F., see Lima, M.F., 159
Vischer, T., see Heumann, D., 67

Walker, T.K., Rollinson, D. and Simpson, A.J.G.
A DNA probe from *Schistosoma mansoni* allows rapid determination of the sex of larval parasites, 93
Weil, G.J., see Alvarez, R.M., 183
Wernstedt, C., see Cazzulo, J.J., 33
Werries, E., see Otte, J., 257
Whitlow, M.B., see Andrews, N.W., 249
Willemsens, G., see Hart, D.T., 123

Yates, J., see Rothstein, N.M., 229

Subject Index

Acidic pH, 249
Adenine phosphoribosyltransferase, 273
Aldolase, 73
Amebiasis, 237
Amino acid sequencing, 203
Anaerobiosis, 191
Antigenic variation, 135
Ascaris suum, 1

Carbon dioxide, 191
Cathepsin B, 113
Cation transporting ATPase gene, 81
Contact-dependent killing, 237
Cuticle, 183
Cysteine protease, 27
Cysteine proteinase, 33, 43, 257
Cytotoxicity, 237

Developmental regulation, 27
Differential antibody screening, 171
Differential gene expression, 81
Differential parasite binding, 159
Differentiation, 215
Difluoromethyl-orinithine, 27
DNA sequence, 105
cDNA, 289

Ecdysis, 49
Echinococcus multilocularis, 171
Entamoeba histolytica, 257
Epidermal growth factor, 283
Exported antigen, 13
Expression site associated gene, 59
Exsheathment, 49

Filariasis, 183, 229
Folate, 265

Gene, 289
Gene cloning, 105
Gene copy number, 13
Genomic DNA sequence, 13
Glycoprotein, 33
83 kDa glycoprotein, 159
Glycosome, 73
Glycosyl-phosphatidylinositol-specific phospholipase C, 289

Haemoglobinase, 113
Haemolysin, 249
Haemonchus contortus, 49
Heat shock protein, 70, 229
Highly and weakly infective clones, 159
Host cell infection, 159
Hypoxanthine-guanine phosphoribosyltransferase, 273

Immunodiagnosis, 171
Immunoscreening, 229
Infective larva, 49
Itraconazole, 123

Ketoconazole, 123

Leishmania, 67
Leishmania donovani, 81
Leishmania major, 191
Leishmania mexicana mexicana, 123
Life cycle, 289
Lysosomal proteinase, 43
λgt11 cDNA library, 171

α2-Macroglobulin, 67
Macrophage, 123
Malaria, 283
Membrane pore, 237
Merozoite, 151
Metabolism, 191
Mini-chromosome, 135
Minicircle DNA, 205
Minirepeat, 205
Miracidia, 105
Mitochondrial adenine nucleotide, 1
Monoclonal antibody, 151

Nematode, 183
Nucleotide sequence, 113

Onchocerca volvulus, 229
Ookinete, 281

Parasite cell adhesion molecule, 159
Phagosome disruption, 249
Phosphoglycerate kinase, 215
Phosphorylation, 75
Plasmodium falciparum, 13, 151, 203, 283
Plasmodium gallinaceum, 283
Polymerase chain reaction, 205
Post-transcriptional control, 215
Protease, 49, 67
Protease inhibition, 151
Protein purification, 49
Proteinase, 67
Proteolysis, 27
Purine, 273
Pyrimethamine resistance, 265

Reverse Pasteur effect, 191
Rhoptry antigen, 203

Satellite DNA, 135
Schistosoma japonicum, 105
Schistosoma mansoni, 93, 113

Schizodeme, 205
Schizont, 151
SERA gene allele, 13
SERA protein, 13
Serine hydroxymethyltransferase, 265
Sex differentiation, 93
Sex specific DNA, 93
Sexual stage specific, 283
Specificity, 257
Stage-specific glycoprotein, 143
Sterol biosynthesis, 123
Subcellular fractionation, 43
Succinate metabolism, 43
Succinate metabolism, 1
Surface labeling, 183
Synthetic tetrapeptide, 257

Transcript, 215
Trichostrongyle, 49
Trypanosoma brucei, 27, 205, 289
Trypanosoma brucei rhodesiense, 59
Trypanosoma cruzi, 33, 43, 143, 159, 205, 249
Trypanosoma vivax, 135
Trypanosome, 73, 135